

2011 BMW F 650 GS

MSRP: \$9,255.00* Destination charge (not included in MSRP): \$495



Copyright 2010 BMW of North America, LLC., Woodcliff Lake, New Jersey all rights reserved.
 *Actual price determined by dealer. Price excludes taxes, license, options and handling charge.
 Prices and specifications subject to change without notice.

Engine		Wheels and Tires	
Type	Water cooled twin cylinder 4 stroke	Front Wheel	2.50 x 19 cast aluminum
Bore x Stroke	82 mm x 76 mm	Rear Wheel	3.50 x 17 cast aluminum
Displacement	798 cc	Front Tire	110/80 x 19 tubeless
Horsepower	71 bhp @ 7000 rpm	Rear Tire	140/80 x 17 tubeless
Torque	55 lb/ft @ 4500 rpm	Dimensions	
Compression Ratio	12.0 :1	Overall Length	89.7 inches
Valve Gear	DOHC chain driven with cam followers	Overall Width	33.2 inches
Valves	2 x 32 mm intake / 2 x 27.5 mm exhaust	Wheelbase	62.0 inches
Valves / Cylinder	4	Ground Clearance	Info. Unavailable
Engine Oil Capacity	3.1 quarts	Seat Height	32.3 inches
Engine Management	BMW Engine Controller - BMS K	Steering Angle	64.0 degrees
Fuel Requirement	Regular Unleaded	Front Wheel Trail	3.8 inches
Fuel Tank	HDPE, internal pump and internal filter	Weight - Dry	377 lbs. excluding options & accessories
Fuel Capacity	4.2 U.S. gallons	Weight - Wet	439 lbs. excluding options & accessories
Charging System	400 Watts @ 14 Volts	Maximum Load	952 lbs. GVWR
Battery	12 Volts 14 Amps/hour maintenance-free	Available Colors	
Cooling System	50/50 water/anti-freeze mix, single radiator	Code	Price
Drivetrain		847	N / C
Primary Drive	1:1.943	924	N / C
Clutch	Wet multi plate	N42	N / C
1st Gear Ratio	2.46:1	Standard Equipment	
2nd Gear Ratio	1.75:1	588	N / C
3rd Gear Ratio	1.38:1		White Turn Signals
4th Gear Ratio	1.17:1	Available Equipment	
5th Gear Ratio	1.04:1	499	\$250
6th Gear Ratio	0.96:1		Low Suspension (includes 774 / not with 636)
Final Drive System	Chain	519	\$250
Final Drive Ratio	2.41:1		Heated Hand Grips
Frame and Suspension		524	\$900
Frame	Tubular steel trellis frame		ABS
Front Suspension	43 mm telescopic fork	530	\$250
Front Travel	7.1 inches		Tire Pressure Monitor (TPM)
Rear Suspension	Double sided aluminum swingarm	539	\$295
Rear Travel	6.7 inches		On Board Computer
Brakes		603	\$395
Brake System	Front and rear disc with optional ABS		Anti-Theft Alarm
Front Brakes	One double piston floating caliper	636	\$175
Front Rotor	11.8 inch single rotor		Center Stand (not with 499)
Rear Brake	One single piston floating caliper	774	N / C
Rear Rotor	10.4 inch two piston floating caliper		Low Seat
Actuation Method	Hydraulic, DOT 4 fluid type		